

## WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Monday, June 11, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L40	L39 not l38	43
<input type="checkbox"/>	L39	L36 and quer\$ same (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1 or transport\$1)	73
<input type="checkbox"/>	L38	L37 not l31	30
<input type="checkbox"/>	L37	L36 and quer\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1 or transport\$1)	47
<input type="checkbox"/>	L36	L35 and (re-establish\$ or reestablish\$)	106
<input type="checkbox"/>	L35	L34 and select\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1)	529
<input type="checkbox"/>	L34	L32 and detect\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1)	892
<input type="checkbox"/>	L33	L32 and detect\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connection\$1)	892
<input type="checkbox"/>	L32	((common or standard\$ or default) near2 (RPC\$1 or protocol\$1 or link\$ or communication\$1 ot transport\$)) and (RPC\$1 or RMI\$1)	3494
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L31	L28 and detect\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connect\$ion\$1)	39
<input type="checkbox"/>	L30	L28 and detect\$	87
<input type="checkbox"/>	L29	L28 and (deterioration or corrosion)	0
<input type="checkbox"/>	L28	L27 and (protocol\$1 or multi-protocol\$1)	93
<input type="checkbox"/>	L27	L26 and select\$ with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connect\$ion\$1)	93
<input type="checkbox"/>	L26	L25 and (re-establish\$ or reestablish\$) with (protocol\$1 or RPC\$1 or communication\$1 or link\$ or connect\$ion\$1)	146
<input type="checkbox"/>	L25	L18 and (common or standard\$ or default) near2 (RPC\$1 or protocol\$1)	1410
<input type="checkbox"/>	L24	L23 and (common or standard\$ or default) near2 (RPC\$1 or protocol\$1)	0
<input type="checkbox"/>	L23	L20 and (deterioration or corrosion)	0
<input type="checkbox"/>	L22	L20 and (re-establish\$ or reestablish\$)	0
<input type="checkbox"/>	L21	L20 and (re-establish\$ or reestablish\$) with (protocol\$1 or RPC\$1)	0
<input type="checkbox"/>	L20	L18 and (default adj (protocol\$1 or RPC\$1))	51
<input type="checkbox"/>	L19	L18 and (default adj RPC\$1)	2
<input type="checkbox"/>	L18	L17 and ((remote adj3 call\$1) or RPC\$1 or RMI\$1)	5119
<input type="checkbox"/>	L17	719/\$.ccls. or 709/\$.ccls. or 718/\$.ccls. or 707/\$.ccls.	98759
<input type="checkbox"/>	L16	L15 not l14	1
<input type="checkbox"/>	L15	L12 and (default adj RPC\$1)	2
<input type="checkbox"/>	L14	L13 and (re-establish\$ or reestablish\$) with (default adj RPC\$1)	1
<input type="checkbox"/>	L13	L12 and (re-establish\$ or reestablish\$)	147
<input type="checkbox"/>	L12	L9 and (common or standard\$ or default) near2 (RPC\$1 or protocol\$1)	985
<input type="checkbox"/>	L11	L10 not l5	6
<input type="checkbox"/>	L10	L9 and default adj (RPC\$1 or call\$1 or RMI\$1)	7
<input type="checkbox"/>	L9	L8 and ((remote adj3 call\$1) or RPC\$1 or RMI\$1)	3090

<input type="checkbox"/>	L8	L7 or l6	34773
<input type="checkbox"/>	L7	(709/201,203,217,218,219,223,226,227,228,229,230)! [CCLS]	30796
<input type="checkbox"/>	L6	(719/310,311,312,313,315,316,320,328,329,330)! [CCLS]	5020
<input type="checkbox"/>	L5	(((remote adj procedure adj call\$1) or RPC\$) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$)).clm.	1
<input type="checkbox"/>	L4	(((remote adj procedure adj call\$1) or RPC\$) and (multi-protocol\$1 or (multi adj protocol\$1)) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$)).clm.	1
<input type="checkbox"/>	L3	(((remote adj procedure adj call\$1) or RPC\$) and (multi-protocol\$1 or (multi adj protocol\$1)) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$) and detect\$ and deterioration\$1).clm.	1
<i>DB=PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR</i>			
<input type="checkbox"/>	L2	(((remote adj procedure adj call\$1) or RPC\$) and (multi-protocol\$1 or (multi adj protocol\$1)) and (default adj ((remote adj procedure adj call\$1) or RPC\$)) and link\$ and (re-establish\$ or reestablish\$) and detect\$ and deterioration\$1).clm.	1
<input type="checkbox"/>	L1	20030140180	1

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 7 of 7 for **RPC and multi-protocol and "default RPC "**. (0.35 seconds)

Tip: Try removing quotes from your search to get more results.

**Multi-protocol object distribution - Patent 20030140180**

Importantly, the meta-stub can automatically select the **default RPC** transport stub by default. Representative Image:.. **Multi-protocol object distribution ...**  
[www.freepatentsonline.com/20030140180.html](http://www.freepatentsonline.com/20030140180.html) - 33k - [Cached](#) - [Similar pages](#)

**kbAlertz!**

Q138793 **Multi-Protocol Router Installation and Configuration (Q138793) .....**  
 Q142041 How to Set Up a **Default RPC** Name Server ...  
[www.kbalertz.com/allKbs.aspx?tec=242](http://www.kbalertz.com/allKbs.aspx?tec=242) - 402k - [Cached](#) - [Similar pages](#)

**Microsoft Security Bulletin Summary for May 2007**

An exploit has surfaced that allows remote attackers to execute arbitrary commands with super-user privileges against Solaris hosts running the **default RPC ...**  
[cert.pionier.gov.pl/news/annall.htm](http://cert.pionier.gov.pl/news/annall.htm) - 408k - [Cached](#) - [Similar pages](#)

**Configuration: myzone**

/etc/**default/rpc.nisd** /etc/default/su /etc/default/sys-suspend ..... Contents of file: /etc/**default/rpc.nisd** Ignore blank lines and lines starting with ...  
[www.openeyet.nl/scc/examples/scc.myzone.html](http://www.openeyet.nl/scc/examples/scc.myzone.html) - 564k - [Cached](#) - [Similar pages](#)

From [erxatech@inrete.it](mailto:erxatech@inrete.it) Thu Aug 1 02:50:25 1996 From: [erxatech ...](mailto:erxatech@inrete.it)

The timeout value we set in **RPC** func "clnt\_call" did not work. We got around this by changing the **default RPC** timeout by calling func "clnt\_control" and ...  
[csg.lbl.gov/vxworks/vxwexplo/1996/archive9608](http://csg.lbl.gov/vxworks/vxwexplo/1996/archive9608) - 335k - [Cached](#) - [Similar pages](#)

**[PDF] INTERNATIONAL STANDARD ISO/IEC 13818-6**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 Preferred and **Default RPC** . ..... DSM-CC **Multi-protocol Encapsulation** . ..... In the absence of prior arrangement, the **default RPC** between two DSM-CC ...  
[domino.iec.ch/preview/info\\_isoiec13818-6%7Bed1.0%7Den.pdf](http://domino.iec.ch/preview/info_isoiec13818-6%7Bed1.0%7Den.pdf) - [Similar pages](#)

**[PDF] Managing NFS and NIS**

File Format: PDF/Adobe Acrobat  
 Appliance ("**Multiprotocol** Data Access: NFS, CIFS, and HTTP," TR3014, .....  
 Under the **default RPC** security mechanism, AUTH\_SYS, every NFS request, including ...  
[www.hackemate.com.ar/.../O'Reilly%20books/O'Reilly%20-%20Managing%20NFS%20and%20NIS%202nd%20Edt.pdf](http://www.hackemate.com.ar/.../O'Reilly%20books/O'Reilly%20-%20Managing%20NFS%20and%20NIS%202nd%20Edt.pdf) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed. If you like, you can [repeat the search with the omitted results included](#).*

Try [Google Desktop](#): search your computer as easily as you search the web.

RPC and multi-protocol and "default

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more](#) ▾

[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 11,000 for **RPC** and "**default RPC**". (0.28 seconds)

Disabling **RPC** hoses my Sol 10 host

svc:/network/rpc/bind:default (**RPC** bindings) State: disabled since Tue May 22

14:32:24 2007 Reason: Disabled by an administrator. ...

forum.java.sun.com/thread.jspa?threadID=5175405&tstart=0 - 35k -

[Cached](#) - [Similar pages](#)

/milestone/multi-user not starting after disabling /network/rpc/bind

svc:/network/rpc/bind:default (**RPC** bindings) Estado: disabled desde Mon Mar 19

16:59:29 2007 Motivo: Un administrador lo ha inhabilitado. ...

forum.java.sun.com/thread.jspa?threadID=5150651&tstart=0 - 32k -

[Cached](#) - [Similar pages](#)

[ [More results from forum.java.sun.com](#) ]

How to Disable DCOM Support in **RPC** over HTTP

By **default**, **RPC** over HTTP support is not installed when you install Windows Server 2003, but you can enable it by...

support.microsoft.com/kb/826382 - [Similar pages](#)

How to configure **RPC** to use certain ports and how to help secure ...

By **default**, **RPC** uses ports in the ephemeral port range (1024-5000) when it ... By

**default**, **RPC** dynamically allocates ports in the range of 1024 to 5000 for ...

support.microsoft.com/kb/908472 - [Similar pages](#)

[ [More results from support.microsoft.com](#) ]

[smf-discuss] What enables **rpc/meta**? (was Re: optional\_all ...

svcs -xv >>> svc:/network/rpc/bind:default (**RPC** bindings) >>> State: disabled since

Fri Sep 15 12:42:02 2006 >>> Reason: Disabled by an administrator. ...

mail.opensolaris.org/pipermail/smf-discuss/2006-September/002820.html - 9k -

[Cached](#) - [Similar pages](#)

OpenSolaris Forums: unable to bring up nfs server on ...

svc:/network/rpc/keyserv:default (**RPC** encryption key storage) State: disabled since

Tue May 15 14:28:15 2007 Reason: Disabled by an administrator. ...

www.opensolaris.org/jive/thread.jspa?messageID=119859 - 32k -

[Cached](#) - [Similar pages](#)

**rpc.statd**(8): NSM status monitor - Linux man page

By **default**, **rpc.statd** will call gethostname(2) to get the local hostname. Specifying a local hostname may be useful for machines with more than one ...

www.die.net/doc/linux/man/man8/rpc.statd.8.html - 10k - [Cached](#) - [Similar pages](#)

docs.sun.com: man pages section 1M: System Administration Commands

See **rpc.nisd\_resolv**(1M) for more information on using **rpc.nisd\_resolv** independently. The **/etc/default/rpc.nisd** file contains the following default parameter ...

docs.sun.com/app/docs/doc/816-5166/6mbb1kqeh?a=view - 25k -

[Cached](#) - [Similar pages](#)

docs.sun.com: System Administration Guide: Naming and Directory ...

The **/etc/default/rpc.nisd** file is used to select LDAP server and authentication, and controls some general **rpc.nisd** behavior. See **rpc.nisd**(4). ...

docs.sun.com/app/docs/doc/816-4556/6maort2u4?a=view - 23k -

[Cached](#) - [Similar pages](#)

[ [More results from docs.sun.com](#) ]

DragonFly On-Line Manual Pages : **rpc.yppasswdd** (8)

The following options are available: -t master.passwd template file By **default**, **rpc.yppasswdd** assumes that the template file used to generates the ...

leaf.dragonflybsd.org/cgi/web-man?command=**rpc.yppasswdd**&section=8 - 13k -

[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 11,000 for RPC and "default RPC". (0.13 seconds)

[jax-rpc: Understanding your JAX-RPC SE environment, Part 2](#)

Alt-2: To expose a **rpc**/encoded WSDL instead, do not specify -f:documentliteral switch and a **default rpc**/encoded WSDL is generated. ...

<https://jax-rpc.dev.java.net/whitepaper/1.1/index-part2.html> - 46k -

[Cached](#) - [Similar pages](#)

[SGI TPL View \(statd.8\)](#)

-F By **default**, **rpc.statd** forks and puts itself in the background when started. ... By **default**, **rpc.statd** will call gethostname(2) to get the local hostname. ...

[techpubs.sgi.com/.../cgi-bin/getdoc.cgi?coll=linux&](http://techpubs.sgi.com/.../cgi-bin/getdoc.cgi?coll=linux&db=man&fname=/usr/share/catman/man8/statd.8.html)

[db=man&fname=/usr/share/catman/man8/statd.8.html](http://db=man&fname=/usr/share/catman/man8/statd.8.html) - 12k - [Cached](#) - [Similar pages](#)

[SGI TPL View \(rpc.nfsd.8\)](#)

By **default**, **rpc.nfsd** will listen on port 2049. -t transport specify a comma-separated list of transports to listen on for NFS requests. ...

[techpubs.sgi.com/.../getdoc.cgi?coll=linux&](http://techpubs.sgi.com/.../getdoc.cgi?coll=linux&db=man&fname=/usr/share/catman/man8/rpc.nfsd.8.html)

[db=man&fname=/usr/share/catman/man8/rpc.nfsd.8.html](http://db=man&fname=/usr/share/catman/man8/rpc.nfsd.8.html) - 10k -

[Cached](#) - [Similar pages](#)

[rpc.yppasswdd\(8\) - server for updating NIS passwords](#)

By **default**, **rpc.yppasswdd** assumes that the template file used to generates the master.passwd and passwd maps for the default domain is called ...

[www.gsp.com/cgi-bin/man.cgi?section=8&topic=rpc.yppasswdd](http://www.gsp.com/cgi-bin/man.cgi?section=8&topic=rpc.yppasswdd) - 23k -

[Cached](#) - [Similar pages](#)

[Windows 2000 RPC Name Service and Integration with Active Directory](#)

The RpcServices property page is displayed and contains the Enable **RPC** Name Service lookups for pre-Windows 2000 computers checkbox. By **default**, **RPC** name ...

[www.microsoft.com/technet/prodtechnol/](http://www.microsoft.com/technet/prodtechnol/windows2000serv/reskit/distrib/dsbd_int_ysrk.mspx)

[windows2000serv/reskit/distrib/dsbd\\_int\\_ysrk.mspx](http://windows2000serv/reskit/distrib/dsbd_int_ysrk.mspx) - 13k - [Cached](#) - [Similar pages](#)

[rpc.nfsd\(8\): NFS server process - Linux man page](#)

By **default**, **rpc.nfsd** will accept NFS requests on all known network addresses. Note that lockd (which performs file locking services for NFS) may still ...

[www.die.net/doc/linux/man/man8/rpc.nfsd.8.html](http://www.die.net/doc/linux/man/man8/rpc.nfsd.8.html) - 7k - [Cached](#) - [Similar pages](#)

[Part 2: Network Protection Technologies](#)

By **default**, **RPC** does not function through Windows Firewall. All system services that use **RPC** are affected. However, Windows Firewall can be configured to ...

[technet.microsoft.com/en-us/library/bd3abaad-c6cb-2b4e-bc02-75876253e295.aspx](http://technet.microsoft.com/en-us/library/bd3abaad-c6cb-2b4e-bc02-75876253e295.aspx)

- 149k - [Cached](#) - [Similar pages](#)

[INFO: Configuring Microsoft Distributed Transaction Coordinator ...](#)

DTC uses Remote Procedure Call (**RPC**) dynamic port allocation. By **default**, **RPC** dynamic port allocation randomly selects port numbers above 1024. ...

[msdn.microsoft.com/isapi/gosupport.asp?Target=/default.aspx?scid=kb;en-](http://msdn.microsoft.com/isapi/gosupport.asp?Target=/default.aspx?scid=kb;en-us;Q250367)

[us;Q250367](http://us;Q250367) - [Similar pages](#)

[Rpc - NESTFE Wiki](#)

By **default**, **Rpc** uses Drip to send messages and Drain to receive. These defaults can be overridden by defining the following c preprocessor symbols: ...

[nest.cs.berkeley.edu/nestfe/index.php/Rpc](http://nest.cs.berkeley.edu/nestfe/index.php/Rpc) - 15k - [Cached](#) - [Similar pages](#)

[rpc-open-client](#)

See **rope**, which operates on the **default RPC** port bound to the variable **\*rpc-port\***. When the port is a subclass of with-**rpc-port-enabler** (such as ...

[franz.com/support/documentation/6.2/doc/pages/operators/net.rpc/rpc-open-](http://franz.com/support/documentation/6.2/doc/pages/operators/net.rpc/rpc-open-client.htm)

[client.htm](http://client.htm) - 5k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 11,000 for **RPC and "default RPC"**. (0.15 seconds)**\*rpc-port\***

**\*rpc-port\***. The value of this variable identifies the **default RPC** port in the dynamic environment. The variable is bound explicitly by the macro ...  
[www.franz.com/support/documentation/8.0/doc/variables/rpc/s\\_rpc-port\\_s.htm](http://www.franz.com/support/documentation/8.0/doc/variables/rpc/s_rpc-port_s.htm) - 5k -  
 Cached - [Similar pages](#)

**Multi-protocol object distribution - Patent 20030140180**

The **RPC** transport protocol stubs can include both a **default RPC** transport stub, ...  
 The system of claim 2, wherein said **default RPC** transport protocol stub ...  
[www.freepatentsonline.com/20030140180.html](http://www.freepatentsonline.com/20030140180.html) - 33k - [Cached](#) - [Similar pages](#)

**Microsoft Internet Security & Acceleration Server (ISA) 2000 ...**

When you install ISA Server, two **default RPC** protocol definitions are provided: Any **RPC** Server. If this protocol definition is allowed in a server ...  
[www.microsoft.com/technet/isa/2000/proddocs/isafp1/rpcaboutpublishing.mspx](http://www.microsoft.com/technet/isa/2000/proddocs/isafp1/rpcaboutpublishing.mspx) - 7k -  
 Cached - [Similar pages](#)

**lockd Daemon**

By **default rpc**.lockd establishes a dynamic socket port number for receiving requests. Entries may be added to the /etc/services file specifying the port ...  
[publib.boulder.ibm.com/infocenter/pseries/v5r3/topic/com.ibm.aix.cmds/doc/aixcmds3/lockd.htm](http://publib.boulder.ibm.com/infocenter/pseries/v5r3/topic/com.ibm.aix.cmds/doc/aixcmds3/lockd.htm) - 12k - [Cached](#) - [Similar pages](#)

**mk\_nisd Command**

If this flag is not used, the **default rpc.nisd** behavior is to always start with DES authentication. The -s option is used to make the **rpc.nisd** compatible ...  
[publib.boulder.ibm.com/infocenter/pseries/v5r3/topic/com.ibm.aix.cmds/doc/aixcmds3/mk\\_nisd.htm](http://publib.boulder.ibm.com/infocenter/pseries/v5r3/topic/com.ibm.aix.cmds/doc/aixcmds3/mk_nisd.htm) - 10k -  
 Cached - [Similar pages](#)

**UNIX man pages : statd ()**

-F By **default, rpc.statd** forks and puts itself in the background when started. The -F argument tells it to remain in the fore- ground. ...  
[www.mcsr.olemiss.edu/cgi-bin/man-cgi?statd](http://www.mcsr.olemiss.edu/cgi-bin/man-cgi?statd) - 7k - [Cached](#) - [Similar pages](#)

**JSI Tip 7109. How do I disable DCOM support in RPC over HTTP on ...**

Windows Server 2003 provides support for implementing the remote procedure call (**RPC**) protocol over HTTP, known as "**RPC over HTTP**." By **default, RPC** over ...  
[www.jsifaq.com/SF/Tips/Tip.aspx?id=7109](http://www.jsifaq.com/SF/Tips/Tip.aspx?id=7109) - 29k - [Cached](#) - [Similar pages](#)

**Berkeley DB Reference Guide: RPC FAQ**

Some systems have a **default RPC** client timeout value that is too small, and the client times out the request before the server has a chance to process and ...  
[www.oracle.com/technology/documentation/berkeley-db/db/ref/rpc/faq.html](http://www.oracle.com/technology/documentation/berkeley-db/db/ref/rpc/faq.html) - 3k -  
 Cached - [Similar pages](#)

**RPC Development Kit Software**

This is the **default RPC** Dev Kit configuration. It will work properly only on old PCs which have Standard Parallel Port (SPP) with open collector / pull-up ...  
[www.radiometrix.co.uk/products/rpceval/rpc\\_soft.htm](http://www.radiometrix.co.uk/products/rpceval/rpc_soft.htm) - 8k - [Cached](#) - [Similar pages](#)

**rpc.nfsd (Linux Reviews)**

By **default, rpc.nfsd** will listen on port 2049. nproc: specify the number of NFS server threads. By default, just one thread is started. ...  
[linuxreviews.org/man/rpc.nfsd/](http://linuxreviews.org/man/rpc.nfsd/) - 87k - [Cached](#) - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#)
[Next](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)[Advanced Search](#)  
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web**Results 111 - 120 of about 11,000 for **RPC** and "**default RPC**". (0.29 seconds)[\[Bugdev\] \[Full-Disclosure\] iDEFENSE Security Advisory 09.16.03 ...](#)

... to execute arbitrary commands with super-user privileges against Solaris hosts running the **default RPC** authentication scheme in Solstice AdminSuite. ...  
[lists.virus.org/bugdev-0309/msg00097.html](#) - 15k - [Cached](#) - [Similar pages](#)

[Active Directory Replication Tools and Settings](#)

By **default**, **RPC**-based replication uses dynamic port mapping. When connecting to an **RPC** endpoint during Active Directory replication, the **RPC** run time on the ...  
[technet2.microsoft.com/windowsserver/en/library/df20bd3e-9914-4a8d-bd5b-3b987c73a34d1033.mspx](#) - 43k - [Cached](#) - [Similar pages](#)

[Welcome to CGarchitect.com](#)

ArchVision has thought of almost everything for this new **RPC** collection, including the license plates. You can turn them on or off, use the **default RPC** ...  
[www.cgarchitect.com/news/reviews/Review006\\_1.asp](#) - 45k - [Cached](#) - [Similar pages](#)

[Welcome to CGarchitect.com](#)

Once the image is open, you will see a Horizon line placed across the image and a **default RPC** person placed onto the scene. From here you need to simply ...  
[www.cgarchitect.com/news/Reviews/Review030\\_1.asp](#) - 39k - [Cached](#) - [Similar pages](#)  
[ [More results from www.cgarchitect.com](#) ]

[\[PDF\] \*\*RPC\*\* Dev Kit Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Using a printer port to drive the **RPC**. For Old PCs: Standard Parallel Port (SPP with open collector / pull-up control lines). This is the **default RPC** Dev ...  
[isa.umh.es/temas/eyebot/RF/rpc\\_dev.pdf](#) - [Similar pages](#)

[GNUe Traffic #83 For 31 May 2003 Editor: Peter Sullivan By Peter ...](#)

26 May 2003 **Default RPC** type for Application Server 3. 26 May 2003 Updates and inserts on multiple lists in AppServer 4. 27 May 2003 XSLT and GNUe Reports 5 ...  
[kerneltraffic.org/GNue/gnue20030531\\_83.txt](#) - 12k - [Cached](#) - [Similar pages](#)

[Simple Java \*\*RPC\*\* framework for GUI & non-GUI: ProgrammersGuide](#)

A client can send **RPC** calls to a server side **RPC** handler and a server handler can send calls to a client side handler. The **default RPC** mechanism supports ...  
[www.retrogui.com/cgi-bin/wiki\\_dualrpcserver.pl/ProgrammersGuide](#) - 13k - [Cached](#) - [Similar pages](#)

[Cool Player Plugin](#)

And then change the **default RPC** Server to your **RPC** Server on the CoolPlayer options page in administrator's interface. You can test validity of your **RPC** ...  
[izachy.com/2006/11/16/cool-player-plugin/](#) - 84k - [Cached](#) - [Similar pages](#)

[Linux-Kernel Archive: Re: Error with Root-fs on NFS...](#)

mountd port number from server, using **default RPC**: sendmsg > returned error 101  
mount: **RPC** call returned error 101 Root-NFS: ...  
[www.ussg.iu.edu/hypermail/linux/kernel/0201.3/0056.html](#) - 6k - [Cached](#) - [Similar pages](#)

[RPC stub incompatibility - PC Tools Community Forum](#)

Reload this Page **RPC** stub incompatibility ... **Default RPC** stub incompatibility ...  
Description: Incompatible version of the **RPC** stub. ...  
[www.pctools.com/forum/showthread.php?t=33998](#) - 46k - [Cached](#) - [Similar pages](#)

[Previous](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#)[Next](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 201 - 210 of about 11,000 for **RPC** and **"default RPC"**. (0.26 seconds)[org.jboss.axis.enums.Style \(Java2HTML\)](#)

getStyle(MESSAGE\_STR); public static final Style **DEFAULT = RPC**; static  
 { type.setDefault(DEFAULT); } private QName provider; public static Style ...  
[docs.huihoo.com/javadoc/jboss/4.0.2/org/jboss/axis/enums/Style.java.html](#) - 16k -  
[Cached](#) - [Similar pages](#)

### 6.10.1. Examples

The examples were tested on Linux with the **default RPC** implementation. The  
**default RPC** implementation needs no special configuration to run the examples, ...  
[dsrg.mff.cuni.cz/~ceres/sch/mwy/text/ch06s10s01.php](#) - 6k - [Cached](#) - [Similar pages](#)

[RPC Server Unavailable - Can't Install Printer Drivers ...](#)Reload this Page [RPC Server Unavailable - Can't Install Printer Drivers. ...](#) **Default**[RPC Server Unavailable - Can't Install Printer Drivers. ...](#)[forums.majorgeeks.com/showthread.php?t=80077](#) - 58k - [Cached](#) - [Similar pages](#)[Keep up with the Web service styles \(and uses\) - Java World](#)

From the command line, Java2WSDL only recognizes its **default, RPC/encoded**. The  
 equivalent Ant task; Axis-java2wsdl, provides a style attribute whose values ...  
[www.javaworld.com/javaworld/jw-10-2003/jw-1003-wsstyles.html?page=4](#) - 60k -  
[Cached](#) - [Similar pages](#)

[Pytos Development Environment - NESTFE Wiki](#)

Modules or interfaces with **rpc** functions can also be gotten as member fields. By  
**default, rpc** functions are blocking, wait 1 second, and return a list of ...  
[nest.cs.berkeley.edu/nestfe/index.php/Pytos\\_Development\\_Environment](#) - 64k -  
[Cached](#) - [Similar pages](#)

[University of Victoria - Computer Help Desk](#)

By **default, RPC** will not function through Windows Firewall. All services and  
 applications that use **RPC** are affected, including file and print sharing, ...  
[helpdesk.uvic.ca/software/downloads/win-xp/winxp-sp2-problems.html](#) - 31k -  
[Cached](#) - [Similar pages](#)

[My Little SMF FAQ](#)

[svc:/network/rpc/spray:default RPC spray](#) [svc:/network/rpc/wall:default network](#)  
[rwall server](#) [svc:/network/tname:default trivial name server](#) ...  
[home.arcor.de/bnsmb/public/htdocs/My\\_Little\\_SMF\\_FAQ.html](#) - 191k -  
[Cached](#) - [Similar pages](#)

[RPC Mouthpiece F/A - Sax on the Web Forum](#)

Join Date: Dec 2004. Posts: 64. **Default RPC Mouthpiece F/A. RPC Tenor**  
**Mouthpiece 150 For Auction on eBay. Ships From Scotland. ...**  
[forum.saxontheweb.net/showthread.php?t=24109](#) - 75k - [Cached](#) - [Similar pages](#)

[typo3.org: Repository](#)

gets the **default RPC** parameter setting. \* If true, default is that call params are like  
**RPC** even for document style. \* Each call() can override this value. ...  
[typo3.org/extensions/repository/view/dr\\_mantis\\_soapinterface/0.0.1/info/nusoap%252Fclass.nusoapclient.php/](#) - 196k - [Cached](#) - [Similar pages](#)

[Hosting Solutions - Mail, Web Site, Control Panels](#)

If you wish to run **RPC** over HTTP with Outlook 2003, please rererence the .... MAPI  
 session from outside the firewall without using the **default RPC** ports. ...  
[www.lanlogic.net/support/kb/exchange-2003-faq.asp](#) - 94k - [Cached](#) - [Similar pages](#)

[Previous](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#) [28](#) [29](#) [30](#)
[Next](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#) [Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

---

**Web**Results 1 - 2 of 2 for **RPC and "default RPC " and deterioration** . (0.32 seconds)

Tip: Try removing quotes from your search to get more results.

[Multi-protocol object distribution - Patent 20030140180](#)

The **RPC** transport protocol stubs can include both a **default RPC** transport stub, ...

The method of claim 6, further comprising: detecting a **deterioration** in ...

[www.freepatentsonline.com/20030140180.html](http://www.freepatentsonline.com/20030140180.html) - 33k - [Cached](#) - [Similar pages](#)

[Method and apparatus for adaptive server selection in a data ...](#)

The above-mentioned **deterioration** of the communication link can be caused by, ....

In accordance with one embodiment, the **default RPC** threshold  $T_{RPC}$  equals ...

[www.freepatentsonline.com/20020196752.html](http://www.freepatentsonline.com/20020196752.html) - 151k - [Cached](#) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web**Results 1 - 4 of 4 for **RPC and "default RPC " and establishing and re-establishing** . (0.19 seconds)

Did you mean: RPC and "default RPC " and establishing and **establishing**

Multi-protocol object distribution - Patent 20030140180

The **RPC** transport protocol stubs can include both a **default RPC** transport stub, ... further **re-establishing** said communicative link with said **default RPC** ...

[www.freepatentsonline.com/20030140180.html](http://www.freepatentsonline.com/20030140180.html) - 33k - [Cached](#) - [Similar pages](#)

Resolved Problems for Service Pack 5

After **re-establishing** the connection, the Managed Server created the new ..... system property to set the **default rpc** timeout value for Web Services. ...

[edocs.bea.com/wls/docs81/notes/resolved\\_sp05.html](http://edocs.bea.com/wls/docs81/notes/resolved_sp05.html) - 295k -

[Cached](#) - [Similar pages](#)

FreeBSD Network Administrators Guide

Usually, **establishing** a SLIP connection involves dialing up a remote site ..... By **default, rpc.mountd** disallows all directory mounts, which is a rather ...

[people.freebsd.org/~nik/nag/book.html](http://people.freebsd.org/~nik/nag/book.html) - 977k - [Cached](#) - [Similar pages](#)

[PDF] Linux Network Administrators Guide

File Format: PDF/Adobe Acrobat

By **default, rpc.mountd** disallows all directory mounts, which is a rather sensible ..... wait 60 seconds before **re-establishing** a failed connection, ...

[www.ssuet.edu.pk/~amkhan/Linuxbooks/eBook%20-%20Manual%20-%20Linux%](http://www.ssuet.edu.pk/~amkhan/Linuxbooks/eBook%20-%20Manual%20-%20Linux%20Net%20Admin%20Guide.pdf)

[20Net%20Admin%20Guide.pdf](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed. If you like, you can repeat the search with the omitted results included.*

Did you mean to search for: RPC and "default RPC " and establishing and **establishing**

Try [Google Desktop](#): search your computer as easily as you search the web.

RPC and "default RPC " and establi: 

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 13,300 for **RPC and establishing and re-establishing** . (0.35 seconds)

Did you mean: [RPC and establishing and \*\*establishing\*\*](#)

[Multi-protocol object distribution - Patent 20030140180](#)

... selecting one said other **RPC** transport mechanisms and **re-establishing** said communicative link with said distributed object using said selected **RPC** ...

[www.freepatentsonline.com/20030140180.html](http://www.freepatentsonline.com/20030140180.html) - 33k - [Cached](#) - [Similar pages](#)

[Method and an apparatus for \*\*re-establishing\*\* wireless communication ...](#)

In the present invention a method of **re-establishing** a wireless ... two paths for the signals from the two **RPC** MF circuits 80a and 80b are provided. ...

[www.freepatentsonline.com/5212808.html](http://www.freepatentsonline.com/5212808.html) - 83k - [Cached](#) - [Similar pages](#)

[ More results from [www.freepatentsonline.com](http://www.freepatentsonline.com) ]

[Protocols for Interworking: XNFS, Version 3W - File Locking over XNFS](#)

The NLM and NSM are **RPC**-based servers which normally execute as autonomous "daemon" ... for detecting a server host failure and **re-establishing** the locks. ...

[www.opengroup.org/onlinepubs/9629799/chap9.htm](http://www.opengroup.org/onlinepubs/9629799/chap9.htm) - 23k - [Cached](#) - [Similar pages](#)

[Client/server architecture supporting concurrent servers within a ...](#)

For example, a widely known and used **RPC** facility developed by Sun ... by the server without terminating and **re-establishing** the communication link, ...

[www.patentstorm.us/patents/5761507-description.html](http://www.patentstorm.us/patents/5761507-description.html) - 61k -

[Cached](#) - [Similar pages](#)

[The Oracle+PHP Cookbook: Improving Performance Through Persistent ...](#)

Even if each child must have its own connection, **re-establishing** the ... Unless you are running some sort of remote procedure call (**RPC**) server that handles ...

[www.oracle.com/technology/pub/articles/](http://www.oracle.com/technology/pub/articles/)

[oracle\\_php\\_cookbook/coggeshall\\_persist.html](http://oracle_php_cookbook/coggeshall_persist.html) - 50k - [Cached](#) - [Similar pages](#)

[EP1145496 Sun european software patent - A method to monitor and ...](#)

If the service monitor does not receive an **RPC** reply from the service and a .... of the service and **re-establishing** the size of the first communication file ...

[gauss.ffii.org/PatentView/EP1145496](http://gauss.ffii.org/PatentView/EP1145496) - 47k - [Cached](#) - [Similar pages](#)

[\[PDF\] /spl mu/-Kernels Must and Can be Small - Object-Orientation in ...](#)

File Format: PDF/Adobe Acrobat

code and data; **re-establishing** the application's work-. ing set needs .... **RPC**. to. a. user-specified preemptor (if the user speci-. fied one). ...

[ieeexplore.ieee.org/iel3/4122/12153/00557909.pdf?arnumber=557909](http://ieeexplore.ieee.org/iel3/4122/12153/00557909.pdf?arnumber=557909) -

[Similar pages](#)

[\[PDF\] \*\*RPC\*\* Trailer - inside pages.indd](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ings of current re-entry efforts can use the **RPC** Report as a checklist ..... **re-establishing** relationships fractured by domestic ...

[www.reentrypolicy.org/reentry/Document\\_Viewer.aspx?DocumentID=1095](http://www.reentrypolicy.org/reentry/Document_Viewer.aspx?DocumentID=1095) -

[Similar pages](#)

[\[PS\] Variable Granularity Cache Coherence](#)

File Format: Adobe PostScript - [View as Text](#)

**RPC** with a small amount of data (a single version number) determines whether .... the advantage that **re-establishing** volume callback would be relatively ...

[www.cs.cmu.edu/afs/cs/project/coda-](http://www.cs.cmu.edu/afs/cs/project/coda-)

[www/ResearchWebPages/docdir/osrvcb94.ps.gz](http://www/ResearchWebPages/docdir/osrvcb94.ps.gz) - [Similar pages](#)

[\[PDF\] -Kernels Must And Can Be Small](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

code and data **re-establishing** the application's work-. ing set needs. c. cycles additionally. .... preemption occurs, the kernel generates an **RPC** ...

<http://www.google.com/search?hl=en&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3Aen&q=RPC+...> 6/11/2007

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 13,300 for **RPC and establishing and re-establishing** . (0.11 seconds)

[PDF] [FILED](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the "crime-fraud exception" is not provided for in the existing **RPC** 1.6 as adopted ...

Counsel shall confer and prepare an agreed Order **re-establishing** the ...

[www.dougschafer.com/Mills1215.pdf](http://www.dougschafer.com/Mills1215.pdf) - [Similar pages](#)

[NewsForge | Signs point to Macromedia dropping JRun from product line](#)

The source said that **re-establishing** the development group was highly unlikely. ...

Additional Web services backing is being added via Sun's JAX **RPC** (Java ...

[www.newsforge.com/article.pl?sid=03/08/06/1413257](http://www.newsforge.com/article.pl?sid=03/08/06/1413257) - 43k - [Cached](#) - [Similar pages](#)

[The Microsoft Outlook's requesting data problem – a detailed ...](#)

The IS and **RPC** services form essential communication channels between

Exchange and ... path is broken and move on to **re-establishing** a new connection.

...  
[www.outlookpower.com/issuesprint/issue200402/00001228.html](http://www.outlookpower.com/issuesprint/issue200402/00001228.html) - 24k -

[Cached](#) - [Similar pages](#)

[PDF] [AltRMI - Overview](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

more like the proprietary **RPC** transport for the .NET framework. ... AltRMI has a

pluggable architecture for **re-establishing** connections (and reporting ...

[incubator.apache.org/projects/altrmi/index.pdf](http://incubator.apache.org/projects/altrmi/index.pdf) - [Similar pages](#)

[AltRMI - Overview](#)

AltRMI has a pluggable architecture for **re-establishing** connections (and reporting

timings etc). Whilst in the middle of an invocation, if the connection is ...

[incubator.terra-intl.com/projects/altrmi/](http://incubator.terra-intl.com/projects/altrmi/) - 25k - [Cached](#) - [Similar pages](#)

[PDF] [FINAL MEETING SUMMARY HANFORD ADVISORY BOARD R P C April 12, 2006...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**establishing** alternate concentration limits (ACLs) is no longer being used. ....

trustees **reestablishing** shrub-steppe at an alternative location to off-set ...

[www.hanford.gov/hanford/files/HAB\\_FINAL\\_RAP\\_apr2006.pdf](http://www.hanford.gov/hanford/files/HAB_FINAL_RAP_apr2006.pdf) - [Similar pages](#)

[Mailing list archives](#)

import org.apache.soap.rpc.\*; public class GetRuntimeInfo { public static void .... OK

and then deep-ends in > **re-establishing** its context for the 2nd call. ...

[mail-archives.apache.org/.../3C0B081CE3E39ED311AE6100508B63B21185CD3D@cacrtvex1.corp.certive.com%](mailto:mail-archives.apache.org/.../3C0B081CE3E39ED311AE6100508B63B21185CD3D@cacrtvex1.corp.certive.com%3E)

3C0B081CE3E39ED311AE6100508B63B21185CD3D@cacrtvex1.corp.certive.com%

3E - 14k - [Cached](#) - [Similar pages](#)

[Protocols for Interworking: XNFS, Version 3W - NLM\\_LOCK](#)

**RPC** Procedure Description. nlm\_res NLM\_LOCK(nlm\_lockargs) = 2; ... host has

recently been rebooted and the server NLM is **re-establishing** existing locks, ...

[www.opengroup.org/onlinepubs/9629799/NLM\\_LOCK.htm](http://www.opengroup.org/onlinepubs/9629799/NLM_LOCK.htm) - 6k -

[Cached](#) - [Similar pages](#)

[Friendship Society in Russia](#)

This versatile activity is subordinated to the task of **re-establishing** the USSR and

defending the class interests. In this connection I would like to ...

[www.northstarcompass.org/nsc0510/friendship.htm](http://www.northstarcompass.org/nsc0510/friendship.htm) - 12k - [Cached](#) - [Similar pages](#)

[Specifying and establishing communication data paths between ...](#)

21 illustrates a general method of selectively **establishing** .... In the present

embodiment, a registration contains two things: an **RPC** address that can be ...

[www.patentstorm.us/patents/5812865-description.html](http://www.patentstorm.us/patents/5812865-description.html) - 123k -

[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **41 - 50** of about **13,300** for **RPC and establishing and re-establishing** . (0.19 seconds)

**[PDF] INTERNATIONAL ELECOMMUNICATION NION**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the participants in the present **RPC** propose the strategies set out below. ...  
telecommunication network operators in **establishing/re-establishing** a healthy ...  
[www.itu.int/ITU-D/arb/WTDC-02/Documents/39-er1.pdf](http://www.itu.int/ITU-D/arb/WTDC-02/Documents/39-er1.pdf) - [Similar pages](#)

**[PDF] Financial obligations one-pager v4.indd**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

re-entering individuals from **re-establishing** family connections or seeking .... For  
additional background on the **RPC** and its Report, please visit the **RPC** ...  
[www.reentrypolicy.org/reentry/Document\\_Viewer.aspx?DocumentID=999](http://www.reentrypolicy.org/reentry/Document_Viewer.aspx?DocumentID=999) -  
[Similar pages](#)

**Reducing Support Costs with Windows Vista**

... **re-establishing** custom settings and connections and reloading .... For example,  
Microsoft Office Outlook 2003 switches from **RPC** over TCP/IP to **RPC** over ...  
[technet.microsoft.com/en-us/windowsvista/aa906019.aspx](http://technet.microsoft.com/en-us/windowsvista/aa906019.aspx) - 43k -  
[Cached](#) - [Similar pages](#)

**[PPT] Scalability & Availability**

File Format: Microsoft Powerpoint - [View as HTML](#)

**Re-establishing** state consistency? Scalability and parallelism? .... Programmer  
writes and receives messages; Not hidden as **RPC** or remote methods ...  
[www.cs.usyd.edu.au/~comp5348/DistributedComputing.ppt](http://www.cs.usyd.edu.au/~comp5348/DistributedComputing.ppt) - [Similar pages](#)

**CORBA/IIOP Specifications**

Related Industry Standards:, JAX-**RPC**, W3C SOAP 1.1, W3C WSDL 1.1, W3C  
XSD .... messages and for **establishing**, releasing, and **re-establishing** the tunnel.  
...  
[www.omg.org/technology/documents/corba\\_spec\\_catalog.htm](http://www.omg.org/technology/documents/corba_spec_catalog.htm) - 61k -  
[Cached](#) - [Similar pages](#)

**[PDF] RC EDP ingles **RPC****

File Format: PDF/Adobe Acrobat

**re-establishing** the economic and financial equilibrium. and concession-holders'  
losses caused by rationing. The decrease in consumption associated with the ...  
[www.edp.pt/NR/rdonlyres/CA2948AB-1BA1-476C-9582-3D7213E2E9A6/0/RC2002\\_EN.pdf](http://www.edp.pt/NR/rdonlyres/CA2948AB-1BA1-476C-9582-3D7213E2E9A6/0/RC2002_EN.pdf) - [Similar pages](#)

**[PDF] \*396 American Cyanamid Co. Appellants v. Ethicon Ltd. Respondents ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

objection was made in the Natural Colour case, 32 **R.P.C.** 256, 259-260, and what ....  
them in **re-establishing** a monopoly. If an interlocutory injunction is ...  
[www.giurisprudenza.unito.it/sito2/pdf/testi\\_lezioni/anglo\\_am\\_AmericanCyanamid-1.pdf](http://www.giurisprudenza.unito.it/sito2/pdf/testi_lezioni/anglo_am_AmericanCyanamid-1.pdf) - [Similar pages](#)

**[PDF] Microsoft PowerPoint - 14-FaultTolerance**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

may try to mask a TCP crash by automatically **re-establishing** the. lost connection).  
... The **RPC** mechanism works well as long as both the client and server ...  
[www.csc.liv.ac.uk/~konev/COMP212/14-FaultTolerance.pdf](http://www.csc.liv.ac.uk/~konev/COMP212/14-FaultTolerance.pdf) - [Similar pages](#)

**[PDF] Improved Address-Space Switching on Pentium Processors by ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(100000 time accessing all pages) without **RPC**. The given times are round. trip **RPC**  
times, user to user, plus the required time for **re-establishing** the ...  
[i30www.ira.uka.de/research/documents/l4ka/multiplex-address-spaces.pdf](http://i30www.ira.uka.de/research/documents/l4ka/multiplex-address-spaces.pdf) -  
[Similar pages](#)

From greg at electricrain.com Thu Jul 1 16:22:07 2004 From: greg ...

If XML-**RPC** is not the thing to go for, what other choices do I have? ..... Luigi

<http://www.google.com/search?q=RPC+and+establishing+and+re-establishing++&hl=en&rls=GGLD,GG...> 6/11/2007


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - Recent articles Results 1 - 10 of about 83 for **RPC and establishing and re-establishing and querying**. (0.09 s

#### All Results

Did you mean: RPC and establishing and **establishing** and querying

J Dedecker

Multi-protocol object distribution

T Van Cutsem

KG Brown, MA Perks, SM Sundberg - 2003 - freepatentsonline.com

S Mostinckx

... object distribution system; **establishing** a communicative ... **RPC** transport mechanisms and **re-establishing** said communicative ... and, processing said **RPC** request for ...

T D'Hondt

[Cached](#) - [Web Search](#)

W De Meuter

Methods and apparatuses to cancel query - all 3 versions »

J Chen, D Tyrell, TK Wong, Q Sun, JJ Lu - 2005 - freepatentsonline.com

... the method further comprises: **establishing** a communication ... the method further comprises: **re-establishing** a communication ... through remote procedure call (**RPC**) 407 ...

[Cached](#) - [Web Search](#)

The Grid-DBMS: Towards Dynamic Data Management in Grid Environments - all 5 versions »

G Aloisio, M Cafaro, S Fiore, M Mirto - Proceedings of the International Conference on Information ..., 2005 - doi.ieeecomputersociety.org

... level data management processes aimed at **re-establishing** (by means ... set of primitives to directly **establish** and manage ... to provide SOAP-based **RPC** (through Apache ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Ambient-oriented programming - all 9 versions »

J Dedecker, T Van Cutsem, S Mostinckx, TD'Hondt, W ... - Conference on Object Oriented Programming Systems Languages ..., 2005 - portal.acm.org

... However, upon **re-establishing** a broken connection, users typically ... Other approaches adapt the **RPC** protocol by ... which processes can publish and **query** tuples to ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

[ps] CS 725: Advanced Topics In Networking

K Gupta, D Sanghi, IIT Kanpur - cse.iitk.ac.in

... x ! y ). The creation of routes is source initiated and involves **establishing** a sequence ... There are three types of packets - **QUERY** packets used to create routes ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Mobile databases: a selection of open issues and research directions - all 3 versions »

G Bernard, P Molli, P Pucheral, C Roncancio, P ... - ACM SIGMOD Record, 2004 - portal.acm.org

... Data Access), which allows **querying** encrypted data ... against attacks and allows **re-establishing** the orthogonality ... and terminal), and an asynchronous **RPC** protocol ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Distributed Processing: DCE, CORBA, and Java

A Bond, K Duddy, K Raymond - Handbook on Architectures of Information Systems, 1998 - Springer

... case, the programmer is responsible for **re-establishing** a lost ... platform technologies in order to **establish** the basic ... This uses the DCE **RPC** wire format to ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Evaluation of the protocols within the CODE mesh VSAT network

G Fairhurst, P Glover, F de Bruin - Networking Aspects of Small Terminal Satellite Systems, IEE ..., 1994 - ieeexplore.ieee.org

Page 1 Evaluation of the Protocols within the CODE Mesh VSAT Network. G.

Fairhurst1, P. Glover2 and F. de Bruin2. Introduction to CODE. ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

Method and apparatus for passing pre-processed data to server-side applications

A McElligott - 2003 - freepatentsonline.com

... ODBC (open database connectivity), **RPC** (remote procedure calls ... incurs significant overhead in **re-establishing** its connection ... 18 needs to **establish** and maintain ...  
[Cached](#) - [Web Search](#)

**NFS over RDMA - all 12 versions »**

B Callaghan, T Lingutla-Raj, A Chiu, P Staubach, O ... - Proceedings of the ACM SIGCOMM workshop on Network-I/O ..., 2003 - portal.acm.org

... existent chunk buffer. In this case, the client can recover by **re-establishing** the RDMA connection and retransmitting the **RPC** call. ...

Cited by 15 - [Related Articles](#) - [Web Search](#)

Did you mean to search for: RPC and establishing and **establishing** and querying

Goooooooooooooogle ►

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)    [Next](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** [All articles](#) - [Recent articles](#) Results 11 - 20 of about 83 for **RPC and establishing and re-establishing and querying.** (0.11)

#### All Results

[J Dedecker](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)
[W De Meuter](#)

#### [Wireless internet: Challenges and solutions - all 3 versions »](#)

K Raatikainen - Our first ten years of research in mobile computing and ..., 2000 - cs.helsinki.fi  
 ... probes for other similar devices in order to **establish** suitable ad ... of presenting,  
 maintaining, sharing, protect- ing, reasoning, and **querying** context information ...  
 Cited by 4 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [Distributed speech recognition system - all 4 versions »](#)

J Cyr, C Green, M Hold, R Kuhnen, A MacGinite - US Patent 7,146,321, 2006 - freepatentsonline.com  
 ... All communications are handled via **RPC** calls. ... LOG-file, which is transferred after  
**re-establishing** the connection ... The Audit Server will **query** the SQL database ...  
[Related Articles](#) - [Cached](#) - [Web Search](#)

#### [Architecture for Location Independent CORBA Environments - all 4 versions »](#)

R Cunningham - a dissertation in partial fulfillment of the requirements ... - cs.tcd.ie  
 ... in response to the request message. Other facilities that are possible  
 with IIOP include **querying** for the location of an object ...  
[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [Deploying IPSec - all 4 versions »](#)

R Guide - securitytechnet.com  
 ... Triggering IKE and IPSec The process of **establishing** the security associations and  
 sending ... In that case the "**query** ldap" command may be used to download ...  
[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [\[PS\] A Mobile Component Environment Based on CORBA Service Extensions for Mobile-Aware Network Computing - all 2 versions »](#)

AI Periquet, EC Lin, TX Dallas - engr.smu.edu  
 ... of a message (eg sockets or **RPC**) and the ... the MH to allow it to **establish** direct  
 connection ... transition to the new network by **re-establishing** communication and ...  
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [Architecture for Location Independent CORBA Environments - all 2 versions »](#)

V Cahill, R Cunningham - 2006 - webbird.tcd.ie  
 ... in response to the request message. Other facilities that are possible  
 with IIOP include **querying** for the location of an object ...  
[View as HTML](#) - [Web Search](#)

#### [Offline multi-table data editing and storage](#)

RL Dickinson, P Kouznetsov, S Chauhan - 2006 - freepatentsonline.com  
 ... XML web services, remote procedure calls (**RPC**), ADO, and ... At block 815, the user attempts  
 to **establish** the data ... to the data source after **re-establishing** a link ...  
[Cached](#) - [Web Search](#)

#### [Local Disk Caching for Client-Server Database Systems - all 3 versions »](#)

MJFMJ Carey, M Livny - iits.uap.edu.ph  
 ... relevant updates, which are then applied to the cached **query** results. ... cost of a  
 random disk I/O and the cost of a round-trip **RPC** to the server. ...  
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [Application Support for Mobile Computing - all 7 versions »](#)

SL Pope - 1997 - sigmobile.org  
 ... 68 5.3 **RPC** Implementation : : : : 69 ... 119 7.1 Mobile **RPC** : : : : ...  
[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

#### [Networks-Mobility for Enterprise Communications](#)




[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** [All articles](#) - [Recent articles](#) Results **21 - 30** of about **83** for **RPC and establishing and re-establishing and querying**. (0.10)

#### All Results

[J Dedecker](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)
[W De Meuter](#)

[Java Tools and Technologies for Cluster Computing - all 4 versions »](#)

KA Hawick, H James, J Mathew, P Coddington - DHPC-077 <http://www.dhpc.adelaide.edu.au/reports-dhpc.adelaide.edu.au>

... User **Query** aspects of task graph decomposition handles ... write elegant and correct code to **establish** communi- cations ... mechanisms such as sockets and **RPC**, due to ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Security Agility for Dynamic Execution Environments - all 4 versions »](#)

M Petkac, L Badger, W Morrison - Proceedings of the DARPA Information Survivability ... - doi.ieeecomputersociety.org

... servers access **RPC** services through the **RPC** library. ... domain name server(s), and **re-establishing** DTE IPC ... daemon, rshd, the Internet name **query** service, nslookup ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

[Specifying and establishing communication data paths between particular media devices in multiple ... - all 3 versions »](#)

MM Theimer, MJ Spreitzer, MD Weiser, RJ Goldstein, ... - US Patent 5,812,865, 1998 - Google Patents

... Location **Query**? ... Send **RPC** Request With Message To (Each) UserAgent ... SPECIFYING AND **ESTABLISHING** COMMUNICATION DATA PATHS BETWEEN PARTICULAR MEDIA DEVICES IN ...

[Cited by 42](#) - [Related Articles](#) - [Web Search](#)

[Ambient-oriented Programming in Ambienttalk - all 3 versions »](#)

J Dedecker, T Van Cutsem, S Mostinckx, TD'Hondt, ... - Proceedings of the 20th European Conference on Object- ..., 2006 - prog.vub.ac.be

... However, upon **re-establishing** a broken connection, users typically ... **RPC**-based Middleware like Alice [13] and DOLMEN ... can asynchronously publish and **query** tuples ...

[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[How to Crack WEP or Bluetooth Without Sniffing a Single Packet OR](#)

B Guessing, J Searches - giac.org

... to Exploit **RPC** DCOM .....12 ... Technique.....35 **Re-Establishing** Network ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[The Astrophysics Simulation Collaboratory Portal: a framework for effective distributed research - all 8 versions »](#)

R Bondarescu, G Allen, G Daues, I Kelley, M ... - Future Generation Computer Systems, 2005 - Elsevier

... ASC Portal does include tools for **querying** information about ... resource to the next without **re-establishing** identity, ie ... and the portal is performed via XML- **RPC**. ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[NFS version 4 Working Group S. Shepler INTERNET-DRAFT Sun Microsystems, Inc. Document: draft-ietf- ... - all 3 versions »](#)

B Callaghan, M Eisler, N Appliance, ID Noveck, ID ... - tools.ietf.org

... added a new operation which provides the client a method of **querying** the server ... For the NFS version 4 protocol, there are two **RPC** procedures, NULL and COMPOUND ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Advances in Databases and Information Systems, Moscow 1996 - all 3 versions »](#)

VV Doubrovski - bcs.org

... unavailable at least until the time of **re-establishing** a communication ... and no pre-update triggers or **RPC** are associated ... Step 2. LTM issues a **query** to GTM that ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[NFS version 4 Working Group S. Shepler INTERNET-DRAFT Sun Microsystems, Inc. Obsoletes: 3010 C. ... - all 6 versions »](#)

B Callaghan, M Eisler, N Appliance, ID Noveck, ID ... - tools.ietf.org

... added a new operation which provides the client a method of **querying** the server ... For the NFS version 4 protocol, there are two **RPC** procedures, NULL and COMPOUND ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### SELECTION OF MOBILE AGENT SYSTEMS BASED ON MOBILITY, COMMUNICATION AND SECURITY ASPECTS

M LALL - [etd.unisa.ac.za](#)

... to the agent must be rearranged. This may involve removing bindings to resources, **re-establishing** new bindings or even migrating ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - Recent articles Results 81 - 83 of 83 for **RPC and establishing and re-establishing and querying**. (0.14 second)

#### All Results

[J Dedecker](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)
[W De Meuter](#)

#### Dynamic Migration of Object Semantics Among Heterogeneous Environments

MP Wagner - 2001 - tumb1.biblio.tu-muenchen.de

... RMI) resembles mainly the concept of remote procedure calls (**RPC**) borrowed from ... Most solutions offered so far effectively **establish** homogeneity within a ...

[Web Search](#) - [Library Search](#)

#### MIGRATING PROCESSES USING DATA REPRESENTATION LANGUAGE REPRESENTATIONS OF THE PROCESSES IN A ... - all 2 versions »

GL SLAUGHTER, TE SAULPAUGH, BA TRAVERSAT - EP Patent 1,309,915, 2003 - freepatentsonline.com

... leases is configured for use in **reestablishing** the one ... The Remote Procedure Call (**RPC**) is a basic ... provide a security mechanism for **establishing**, renewing and ...


[Cached](#) - [Web Search](#)

#### [ps] An Environment for Dynamically Configurable Protocols Located in User Space

M Eyrich, DIB Metzler, A Wolisz, TU Berlin - www.tkn.ee.tu-berlin.de

... on remote machines by Remote Procedure Call (**rpc**). ... Only about ve years after **establish-**ing the rst ... be possible without terminating and **reestablishing** an open ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - [Recent articles](#) Results 1 - 10 of about 76 for **RPC and establishing and re-establishing and querying and pr**

#### All Results

Did you mean: [RPC and establishing and \*\*establishing\*\* and querying and protocol](#)

[J Dedecker](#)
[B Callaghan](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)

#### [Multi-protocol object distribution](#)

KG Brown, MA Perks, SM Sundberg - 2003 - freepatentsonline.com

... object distribution system; **establishing** a communicative ... **RPC** transport mechanisms and **re-establishing** said communicative ... and, processing said **RPC** request for ...

[Cached](#) - [Web Search](#)

#### [Evaluation of the protocols within the CODE mesh VSAT network](#)

G Fairhurst, P Glover, F de Bruin - Networking Aspects of Small Terminal Satellite Systems, IEE ..., 1994 - [ieeexplore.ieee.org](#)

... provides the end-user with a standard ethernet interface which provides access to a TCP/IP (Ismission Control Pro- tocol Internet **Protocol**) transport service ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

#### [The Grid-DBMS: Towards Dynamic Data Management in Grid Environments - all 5 versions »](#)

G Aloisio, M Cafaro, S Fiore, M Mirto - Proceedings of the International Conference on Information ..., 2005 - [doi.ieeecomputersociety.org](#)

... level data management processes aimed at **re-establishing** (by means ... set of primitives to directly **establish** and manage ... to provide SOAP-based **RPC** (through Apache ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

#### [\[ps\] CS 725: Advanced Topics In Networking](#)

K Gupta, D Sanghi, IIT Kanpur - [cse.iitk.ac.in](#)

... This **protocol** [3] uses source routing for routing ... is source initiated and involves **establishing** a sequence of ... are three types of packets - **QUERY** packets used ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [NFS over RDMA - all 12 versions »](#)

B Callaghan, T Lingutla-Raj, A Chiu, P Staubach, O ... - Proceedings of the ACM SIGCOMM workshop on Network-I/O ..., 2003 - [portal.acm.org](#)

... 4.3 The **Protocol** in Action Where the **RPC** messages ... this case, the client can recover by **re-establishing** the RDMA connection and retransmitting the **RPC** call ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#)

#### [Method and apparatus for passing pre-processed data to server-side applications](#)

A McElligott - 2003 - freepatentsonline.com

... ODBC (open database connectivity), **RPC** (remote procedure calls ... incurs significant overhead in **re-establishing** its connection ... 18 needs to **establish** and maintain ...

[Cached](#) - [Web Search](#)

#### [Distributed Processing: DCE, CORBA, and Java](#)

A Bond, K Duddy, K Raymond - Handbook on Architectures of Information Systems, 1998 - Springer

... case, the programmer is responsible for **re-establishing** a lost ... platform technologies in order to **establish** the basic ... This uses the DCE **RPC** wire format to ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

#### [Mobile databases: a selection of open issues and research directions - all 3 versions »](#)

G Bernard, P Molli, P Pucheral, C Runcancio, P ... - ACM SIGMOD Record, 2004 - [portal.acm.org](#)

... Data Access), which allows **querying** encrypted data ... attacks and allows **re-establishing** the orthogonality ... server and terminal), and an asynchronous **RPC** protocol. ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

#### [Advances in Databases and Information Systems, Moscow 1996 - all 3 versions »](#)

VV Doubrovski - [bcs.org](#)

... unavailable at least until the time of **re-establishing** a communication ... and no pre-update triggers or **RPC** are associated ... Step 2. LTM issues a **query** to GTM that ...  
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Wireless internet: Challenges and solutions](#) - all 3 versions »  
K Raatikainen - Our first ten years of research in mobile computing and ..., 2000 - cs.helsinki.fi  
... other similar devices in order to **establish** suitable ad ... provides its own Service  
Discovery **Protocol** [47 ... protect- ing, reasoning, and **querying** context information ...  
[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Did you mean to search for: [RPC and establishing and \*\*establishing\*\* and querying and protocol](#)

Go o o o o o o o o o o g l e ►

Result Page:    1 2 3 4 5 6 7 8    [Next](#)

RPC and establishing and re-establi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - Recent articles Results 51 - 60 of about 76 for **RPC and establishing and re-establishing and querying and p**

#### All Results

[J Dedecker](#)
[B Callaghan](#)
[T Van Cutsem](#)
[S Mostinckx](#)
[T D'Hondt](#)

CSPP-Guidance for COTS Security Protection Profiles - all 18 versions »

G Stoneburner - NISTIR - [csrc.nist.gov](#)

Page 1. US DEPARTMENT OF COMMERCE William M. Daley, Secretary TECHNOLOGY

ADMINISTRATION Dr. Cheryl L. Shavers, Under Secretary of ...

Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Transparent Replication for Component-Based Applications - all 4 versions »

J Wang - 2000 - [www.csag.ucsd.edu](#)

... of this **RPC** functionality, except in the case of ... involves **establishing** a proxy for this interface in B, so ... mechanism it should use by **querying** the IMarshal ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Samer F. Lolo

SFZM Loulou, AM Othman - [esamerlolo.googlepages.com](#)

... **Protocol** WML Wireless Markup Language WYMIWYG What You Make Is What You Get WYSIWYG

What You See Is What You Get XML Extensible Markup Language XML-RPC ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

RFC 3010 (RFC3010)

C Beame, H Ltd, M Eisler, I Zambeel, D Noveck - [faqs.org](#)

... will be used to extend the basic **RPC** security. ... security negotiation, the NFS version

4 **protocol** has added a ... provides the client a method of **querying** the server ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[BOOK] TRACER: In-vehicle, GPS-based, Wireless Technology for Traffic Surveillance and Management - all 5 versions »

MG McNally, California, Irvine University of ... - 2003 - [its.berkeley.edu](#)

... 3 Communications Network and **Protocol** ..... of XML-RPC in ... However, **querying** for ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

California Partners for Advanced Transit and Highways (PATH) - all 2 versions »

MG McNally, JE Marca, CR Rindt, AM Koos - [repositories.cdlib.org](#)

... 53 6.4.3 Communications Network and **Protocol** ..... Role of XML-RPC in TracerMap ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Sun Microsystems Inc. C. Beame Hummingbird Ltd. M. Eisler Zambeel, Inc.

D Noveck - [rfc3010.x42.com](#)

... will be used to extend the basic **RPC** security. ... security negotiation, the NFS version

4 **protocol** has added a ... provides the client a method of **querying** the server ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

Method and computer program product for internet **protocol** (IP)-flow classification in a wireless ...

JW Jorgensen - 2003 - [freepatentsonline.com](#)

... along with resource reservation **protocol** (RSVP), to ... take many minutes before

**re-establishing** stability; this ... achieve high QoS by **establishing** circuit-centric ...

[Cached](#) - [Web Search](#)

Time division multiple access/time division duplex (TDMA/TDD) transmission media access control (MAC ...

JW Jorgensen - 2007 - [freepatentsonline.com](#)

... along with resource reservation **protocol** (RSVP), to ... take many minutes before


**re-establishing** stability; this ... achieve high QoS by **establishing** circuit-centric ...

[Cached](#) - [Web Search](#)

[PS] Mobile Code Technologies, Paradigms, and Applications - all 3 versions »

G Vigna - 1997 - [cs.ucsb.edu](#)

... like code remote evaluation (REV) [87] and **RPC** [11] are compared to the Echo distributed algorithms [19], to applications like "intelligent e-mail" and Web ...  
[Cited by 37](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [Next](#)

RPC and establishing and re-establishing and querying and protocol

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 106 for **RPC and establishing and re-establishing and multi-protocol**. (0.34 seconds)

Did you mean: **RPC and establishing and *establishing* and multi-protocol**

**Multi-protocol** object distribution - Patent 20030140180

[0010] In the **multi-protocol** object distribution system, an **RPC** processing ... selecting one the other **RPC** transport mechanisms and **re-establishing** the ... [www.freepatentsonline.com/20030140180.html](http://www.freepatentsonline.com/20030140180.html) - 33k - [Cached](#) - [Similar pages](#)

**System for establishing** plan to test components of web based ...

##STR9## A **multi-protocol**, scalable global directory for storing information such ..... **re-establishing** user passwords, maintaining groups of users, etc. ... [www.patentstorm.us/patents/6473794-description.html](http://www.patentstorm.us/patents/6473794-description.html) - 1015k - [Cached](#) - [Similar pages](#)

[PDF] **Sanera DS 10000 & Cisco MDS 9509 Director Comparison**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**multiprotocol**. The DS10000 line cards. natively support Fibre Channel, FICON, and .... attached devices **re-establishing** connectivity. to the fabric. ... [hosteddocs.ittoolbox.com/MC050103B.pdf](http://hosteddocs.ittoolbox.com/MC050103B.pdf) - [Similar pages](#)

[PDF] **Providing Security Services in a Resource Discovery System**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In this paper the authors introduce a **Multiprotocol** Service ..... for **re-establishing** the service if the system's availability. is attacked. ... [www.academypublisher.com/jnw/vol02/no01/jnw02014859.pdf](http://www.academypublisher.com/jnw/vol02/no01/jnw02014859.pdf) - [Similar pages](#)

**INTERLINK COMPUTER SCIENCES INC Annual Report (10-K) ITEM 1. BUSINESS**

... a software suite that extends **multi-protocol** networking for MVS mainframes. ... and routing changes by quickly **re-establishing** failed connections. ... [sec.edgar-online.com/1997/09/29/16/0000950005-97-000789/Section2.asp](http://sec.edgar-online.com/1997/09/29/16/0000950005-97-000789/Section2.asp) - 114k - [Cached](#) - [Similar pages](#)

[PDF] **NRIC VII FG2B Cyber Security BPs 11-03-2004 - final-white.xls**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

dynamic port allocation protocols such as Remote Procedure Calls (**RPC**) and ..... Continue recovery by **re-establishing** new passwords, reloading ... [www.nric.org/meetings/docs/meeting\\_20041206/NRICVII\\_FG2B\\_December2004\\_BPs\\_Appendices.pdf](http://www.nric.org/meetings/docs/meeting_20041206/NRICVII_FG2B_December2004_BPs_Appendices.pdf) - [Similar pages](#)

[PDF] **Getting Started with Progress SonicMQ V7.5**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

connection for exceptions, and **re-establishing** the connection if it is dropped. .... Enables acceptors for simultaneous **multi-protocol** support for ... [www.sonicsoftware.com/products/documentation/docs/mq\\_getstart.pdf](http://www.sonicsoftware.com/products/documentation/docs/mq_getstart.pdf) - [Similar pages](#)

**Glossary**

It is responsible for **establishing** and maintaining the connection between the .... provided by the Oracle **Multi-Protocol** Interchange with SQL\*Net version 2. ... [www.lc.leidenuniv.nl/awcourse/oracle/network.920/a96580/glossary.htm](http://www.lc.leidenuniv.nl/awcourse/oracle/network.920/a96580/glossary.htm) - 94k - [Cached](#) - [Similar pages](#)

**Cover Pages: XML Articles and Papers February 2004**

In the **RPC** style of Web services, this is usually a specialized XML format ..... And we're **establishing** a global support network made of small companies, ... [xml.coverpages.org/xmlPapers200402.html](http://xml.coverpages.org/xmlPapers200402.html) - 232k - [Cached](#) - [Similar pages](#)

[doc] **16 Glossary**

File Format: Microsoft Word - [View as HTML](#)

certification authority (CA) An entity responsible for **establishing** and vouching for the ... the network, **reestablishing** information about preferred routes. ...

<http://www.google.com/search?hl=en&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3Aen&q=RPC+...> 6/11/2007



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 106 for **RPC and establishing and re-establishing and multi-protocol**. (0.09 seconds)

[Five components to a successful location recording & much more ...](#)

MPLS **multiprotocol** label switching MPP massively parallel processor ..... by buffering electrical noise and **re-establishing** the neutral-to-ground bond. ... [www.gearsutz.com/.../947-five-components-successful-location-recording-much-more-beginners-guide.html](http://www.gearsutz.com/.../947-five-components-successful-location-recording-much-more-beginners-guide.html) - 174k - [Cached](#) - [Similar pages](#)

[PDF] [Understanding Code Mobility](#)

File Format: PDF/Adobe Acrobat  
and **RPC** [15] are compared to the Echo distributed algo-. rithms [16], to applications like ..... **re-establishing** new bindings, or even migrating some re- ... [ieeexplore.ieee.org/iel4/32/15047/00685258.pdf?isNumber=15047&arNumber=00685258&isnumber=15047...](http://ieeexplore.ieee.org/iel4/32/15047/00685258.pdf?isNumber=15047&arNumber=00685258&isnumber=15047...) - [Similar pages](#)

[PDF] [Convergence Of Telecommunications And Computing To Networking ...](#)

File Format: PDF/Adobe Acrobat  
failures without **reestablishing** end-to-end VC's. The IP ... assigns tags to **multiprotocol** frames: data units carry a. fixed-length label, namely, the tag, ... [ieeexplore.ieee.org/iel3/5/14184/00650174.pdf?arnumber=650174](http://ieeexplore.ieee.org/iel3/5/14184/00650174.pdf?arnumber=650174) - [Similar pages](#)  
[ [More results from ieeexplore.ieee.org](#) ]

[Understanding Code Mobility](#)

This may involve voiding bindings to resources, **re-establishing** new bindings ..... As an example, in this scenario a **multiprotocol** router could download on ... [doi.ieeecomputersociety.org/10.1109/32.685258](http://doi.ieeecomputersociety.org/10.1109/32.685258) - [Similar pages](#)

[PDF] [Sun StorEdge 5210 NAS Appliance Administration Guide](#)

File Format: PDF/Adobe Acrobat  
Enter the secure **RPC** password for the NIS+ server. Press Enter. .... **re-establishing** a mirror. breaking the mirror. GUI 111. telnet 188 ... [docs-pdf.sun.com/819-5376-10/819-5376-10.pdf](http://docs-pdf.sun.com/819-5376-10/819-5376-10.pdf) - [Similar pages](#)

[ATM Bibliographies - 1500 + links and ATM article references](#)

Abstract: This memo describes a mechanism for **establishing** a switched path with guaranteed Quality of Service for RSVP [1] flows in a **MultiProtocol Label** ... [www.infosyssec.net/infosyssec/atmbib1.htm](http://www.infosyssec.net/infosyssec/atmbib1.htm) - 356k - [Cached](#) - [Similar pages](#)

[PDF] [GETTING STARTED WITH SonicMQ V5](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Provides simultaneous **multi-protocol** support for TCP and HTTP ..... connection for exceptions, and **re-establishing** the connection if it has been dropped. ... [j2ee-wg.web.cern.ch/j2ee-wg/SonicMQ50/sonicmq\\_docs/getstart.pdf](http://j2ee-wg.web.cern.ch/j2ee-wg/SonicMQ50/sonicmq_docs/getstart.pdf) - [Similar pages](#)

[PDF] [Sun StorEdge 5310 NAS Appliance Software Installation ...](#)

File Format: PDF/Adobe Acrobat  
**Re-establishing** a Mirror Connection. This procedure describes how to re-establish a ..... Enter the secure **RPC** password for the NIS+ server. Press Enter. ... [www.sun.com/products-n-solutions/hardware/docs/pdf/819-0879-12.pdf](http://www.sun.com/products-n-solutions/hardware/docs/pdf/819-0879-12.pdf) - [Similar pages](#)

[PDF] [Sun StorEdge 5310 NAS Appliance and Gateway System Administration ...](#)

File Format: PDF/Adobe Acrobat  
5310 Gateway System servers are designed to reside in a **multiprotocol** environment ..... **re-establishing** a mirror. breaking the mirror. GUI 123. telnet 221 ... [www.sun.com/products-n-solutions/hardware/docs/pdf/819-3238-11.pdf](http://www.sun.com/products-n-solutions/hardware/docs/pdf/819-3238-11.pdf) - [Similar pages](#)

[PS] [Understanding Code Mobility](#)

File Format: Adobe PostScript - [View as Text](#)  
resources, **re-establishing** new bindings, or even migrating. some resources to the destination ..... **multiprotocol** router could download on demand the code ...